

N

W

E



SV SIRSI VALVES

PINCH & DIAPHRAGM VALVE



PINCH VALVES

Manual Pinch Valve

Type D (DN 15 – 50)

Type C (DN 65 – 250)



Pneumatic Pinch Valve

Spring Return (Normally Closed)

Type PA (DN 15 – 65)

Type PA-2 (DN 80 – 250)



Pneumatic Pinch Valve

Spring Return (Normally Open)

Type PC (DN 15 – 65)

Type PC-2 (DN 80 – 250)



Pneumatic Pinch Valve

Double Acting

Type PAC (DN 15 – 65)

Type PAC-2 (DN 80 – 250)



Our Pinch Valves can be supplied with a manual handwheel for emergency opening and closing



DIAPHRAGM VALVES



Manual Diaphragm Valve

Type FLAV (DN 15 – 300)



Pneumatic Diaphragm Valve

Spring Return (Normally Closed)

Type FLAV-PA (DN 15 – 200)



Pneumatic Diaphragm Valve

Spring Return (Normally Open)

Type FLAV-PC (DN 15 – 200)



Pneumatic Diaphragm Valve

Double Acting

Type FLAV-PAC (DN 15 – 200)



Our Diaphragm Valves can be supplied with a manual handwheel for emergency opening and closing

SV SIRSI VALVES



Pinch Valves designed to shut off or regulate difficult fluids

Advantages:

- ✓ Lower pressure loss
- ✓ Reduced clogging
- ✓ Ideal for sludge, abrasive fluids, and liquids containing suspended solids

Applications:

- ✓ Ceramic industry
- ✓ Marble industry
- ✓ Wastewater and sludge treatment
- ✓ Cement plants
- ✓ Mining industry

Materials:

- ✓ Body: Epoxy-painted aluminum
- ✓ Sleeve: Abrasion-resistant Natural Rubber / EPDM / Hypalon / Silicone / Viton
- ✓ Flanges: PN 10 / ANSI 150
- ✓ Actuation: Manual / Pneumatic

Diaphragm Valves designed to shut off or regulate clean fluids.

Advantages:

- ✓ High corrosion resistance
- ✓ Reduced contamination
- ✓ Ideal for aggressive fluids

Applications:

- ✓ Oil & Gas
- ✓ Chemical and petrochemical industry
- ✓ Pharmaceutical and healthcare industry
- ✓ Biotechnology

Materials:

- ✓ Body: Cast iron GJL 250 / PTFE lining
- ✓ Diaphragm: EPDM / PTFE / Silicon / Viton
- ✓ Flanges: PN 10 / ANSI 150
- ✓ Actuation: Manual / Pneumatic



SIRSI VALVES srl

Via Giotto, 17 – 42014 Castellarano (RE) Italy

www.sirsi.it info@sirsi.it

